


DSAR15P / 5.56x45



✓ PERFORMANCE / ENVIRONMENT TEST : PASSED

✓ TOP 3-2-045 TEST : PASSED

✓ ACE 225 NATO TEST : PASSED

In order to guarantee the quality requested by customer, we have been implementing thorough quality control based on ISO9001, ISO14001, TSI6949, the National Defense Quality Management System and SQ processor.

CALIBERS	5.56×45mm NATO / .223		
BARREL	16"	14.5"	11.5"
WEIGHT	3.2Kg	3.1Kg	3.0Kg
OVERALL LENGTH	880mm	840mm	760mm
EFFECTIVE RANGE	550m		
MAGAZINE CAPACITY	30 ROUNDS		
TWIST	1:7" TWIST, 6 GROOVES RH		
RATE OF FIRE	700~950rpm		

DSAR15P / 5.56x45

ACTION

SHORT-STROKE GAS PISTON ROTATING BOLT

FRONT SIGHT BASE

MIL-STD-1913 RAIL

TRIGGER

2-STAGE PRECISION TRIGGER & SINGLE
STAGE TRIGGER

AMBIDEXTROUS OPERATION

SELECTOR

CHARGING HANDLE
(MAGAZINE CATCH, BOLT CATCH)

HANDGUARD

QUADRO-SIDE PICATINNY RAIL
(MIL-STD-1913) FREE FLOATING

STOCK

MULTI POSITION ADJUSTABLE STOCK
(6-POSITION)

✓ PERFORMANCE / ENVIRONMENT TEST : PASSED

✓ TOP 3-2-045 TEST : PASSED

✓ ACE 225 NATO TEST : PASSED

16" RIFLE




14.5" CARBINE



11.5" CQB



DSAR15P / 5.56x45



ACCURACY 1.3MOA



SAND TEST



MUD TEST
(LEVEL 12 ULTIMATE TEST)

16" RIFLE



14.5" CARBINE



11.5" CQB



DSAR15P / 5.56x45



MODEL	DAR-15P 5.56MM 16"
CARTRIDGE	5.56 x 45 mm NATO
WEIGHT	3.2kg
BARREL LENGTH	410 mm(16")
OVERALL LENGTH	880 mm(Stock extended)
EFFECTIVE RANGE	500 m
RIFLING	1:7" Twist, 6 Groove R/H
MAGAZINE CAPACITY	30rounds
RATE OF FIRE	700 - 950 rpm

MODEL	DAR-15P 5.56MM 14.5"
CARTRIDGE	5.56 x 45 mm NATO
WEIGHT	3.1kg
BARREL LENGTH	370 mm(14.5")
OVERALL LENGTH	840 mm(Stock extended)
EFFECTIVE RANGE	500 m
RIFLING	1:7" Twist, 6 Groove R/H
MAGAZINE CAPACITY	30rounds
RATE OF FIRE	700 - 950 rpm

MODEL	DAR-15P 5.56MM 11.5"
CARTRIDGE	5.56 x 45 mm NATO
WEIGHT	3.0kg
BARREL LENGTH	292 mm(11.5")
OVERALL LENGTH	760 mm(Stock extended)
EFFECTIVE RANGE	400m
RIFLING	1:7" Twist, 6 Groove R/H
MAGAZINE CAPACITY	30rounds
RATE OF FIRE	700 - 950 rpm