

WBP

“JACK” AKM - Polymer Furniture 7.62x39



Model: “JACK” AKM-style rifle with polymer furniture

Type: Full auto, mil-spec

Caliber: 7.62x39mm

Furniture: polymer buttstock, polymer lower handguard, polymer or aluminum Picatinny integrated upper handguard, polymer pistol grip

Receiver: stamped

Weight: 2.96 kg (unloaded)

Length: 900 mm

Barrel length: 415 mm

Action: gas operated, rotating bolt

Muzzle velocity: 715 m/s

Muzzle energy: 2,179 J (1,607 ft·lbf)* for 8.0 g (123 gr) FMJ

Effective range: 400 m / rifle has 100–800 m or 100-1000 m sight adjustments

Maximum range: 1000 m

Feed system: 10, 20, 30, 40 round magazines

Sights: Rear sight notch on sliding tangent, front post



WBP

“JACK” AKM – Classic with wooden furniture 7.62x39



Model: “JACK” AKM-style rifle with wooden furniture

Type: Full auto, mil-spec

Caliber: 7.62x39mm

Furniture: wooden buttstock, wooden lower handguard, wooden or aluminum Picatinny integrated upper handguard, polymer pistol grip

Receiver: stamped

Weight: 3.00 kg (unloaded)

Length: 880 mm

Barrel length: 415 mm

Action: gas operated, rotating bolt

Muzzle velocity: 715 m/s

Muzzle energy: 2,179 J (1,607 ft·lbf)* for 8.0 g (123 gr) FMJ

Effective range: 400 m / rifle has 100–800 m or 100-1000 m sight adjustments

Maximum range: 1000 m

Feed system: 10, 20, 30, 40 round magazines

Sights: Rear sight notch on sliding tangent, front post



WBP

“JACK” AKMS 7.62x39



Model: “JACK” AKMS-style rifle

Type: Full auto, mil-spec

Caliber: 7.62x39mm

Furniture: under folding metal buttstock, polymer lower handguard, polymer or aluminum Picatinny integrated gas tube upper handguard, polymer pistol grip

Receiver: stamped

Weight: 3.22 kg (unloaded)

Length: 910 mm / 660 mm with buttstock folded

Barrel length: 415 mm

Action: gas operated, rotating bolt

Muzzle velocity: 715 m/s

Muzzle energy: 2,179 J (1,607 ft·lbf)* for 8.0 g (123 gr) FMJ

Effective range: 400 m / rifle has 100–800 m or 100-1000 m sight adjustments

Maximum range: 1000 m

Feed system: 10, 20, 30, 40 round magazines

Sights: Rear sight notch on sliding tangent, front post



WBP

"JACK" AKMS 7.62x39 TACTICAL



Model: "JACK" AKM-style rifle tactical version

Type: Full auto, mil-spec

Caliber: 7.62x39mm

Furniture: polymer buttstock, Picatinny lower handguard with pistol grip, aluminum Picatinny integrated gas

tube upper handguard, polymer pistol grip

Receiver: stamped

Weight: 3.17 kg (unloaded)

Length: 900 mm

Barrel length: 415 mm

Action: gas operated, rotating bolt

Muzzle velocity: 715 m/s

Muzzle energy: 2,179 J (1,607 ft·lbf)* for 8.0 g (123 gr) FMJ

Effective range: 400 m / rifle has 100–800 m or 100-1000 m sight adjustments

Maximum range: 1000 m

Feed system: 10, 20, 30, 40 round magazines

Sights: Rear sight notch on sliding tangent, front post



WBP

“JACK” AKM 7.62x39 – MINI / 10” Barrel



Model: “Mini JACK” AKM-style rifle with 10 inch barrel

Type: Full auto, mil-spec

Caliber: 7.62x39mm

Furniture: fixed buttstock, Picatinny lower handguard, aluminium Picatinny integrated gas tube upper handguard, polymer pistol grip

Receiver: stamped

Weight: 2.75 kg (unloaded)

Length: 790 mm

Barrel length: 259 mm

Action: gas operated, rotating bolt

Muzzle velocity: 680 m/s

Effective range: 150 m / rifle has 100–800 m or 100-1000 m sight adjustments

Maximum range: 1000 m

Feed system: 10, 20, 30, 40 round magazines

Sights: Rear sight notch on sliding tangent, front post



WBP

“JACK” AKMS 7.62x39 – MINI / 10” Barrel

AK
47



Model: “Mini JACK” AKMS-style rifle with 10 inch barrel

Type: Full auto, mil-spec

Caliber: 7.62x39mm

Furniture: under folding buttstock, polymer lower handguard, aluminum Picatinny integrated gas tube upper handguard, polymer pistol grip

Receiver: stamped

Weight: 2.75 kg (unloaded)

Length: 800 mm / 560 mm with buttstock folded

Barrel length: 259 mm

Action: gas operated, rotating bolt

Muzzle velocity: 680 m/s

Effective range: 150 m / rifle has 100–800 m or 100-1000 m sight adjustments

Maximum range: 1000 m

Feed system: 10, 20, 30, 40 round magazines

Sights: Rear sight notch on sliding tangent, front post

